

Embassy of the Republic of Iraq
Sofia

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

سفارة جمهورية العراق
صوفيا

Подлежи на връщане
в архив



No: 1066

Date: 15.07.2015

Министерство на външните работи

Reg. №

5429-111/15.07.2015г.

Дирекция:


SW

Копие до:

The Embassy of the Republic of Iraq in Sofia presents its compliments to the Ministry of Foreign Affairs of the Republic of Bulgaria, Directorate "Foreign Economic Relations", and has the honor to enclose herewith 5 invitations to tenders by the Ministry of Oil of the Republic of Iraq concerning the purchase of equipment. The conditions of submitting offers can be found on the following websites: www.oil.gov.iq and www.mrc.oil.gov.iq

The Embassy has further the honor to request the esteemed Directorate to kindly bring the above to the knowledge of the Bulgarian competent authorities.

The Embassy of the Republic of Iraq avails itself of this opportunity to renew to the Ministry of Foreign Affairs of the Republic of Bulgaria, Directorate "Foreign Economic Relations", the assurances of its highest consideration.



Ministry of Foreign Affairs
of the Republic of Bulgaria
Directorate "Foreign Economic Relations"
Sofia




No: 1066

Date: 15.07.2015

Посолството на Република Ирак в София поднася своите почитания на Министерството на външните работи на Република България, Дирекция "Външноикономически отношения", и има честта да изпрати тук приложено 5 съобщения за обявени от Министерството на петрола на Република Ирак търгове за покупка на оборудване. Информация за условията за подаване на оферти е публикувана на следните уебстраници: www.oil.gov.iq и www.mrc.oil.gov.iq

Посолството има също така честта да отправи най-любезна молба до уважаемата Дирекция да доведе горното до знанието на българските компетентни власти

Посолството на Република Ирак в София се ползва от случая, за да поднови пред Министерството на външните работи на Република България, Дирекция "Външноикономически отношения", уверенията в отличната си към нея почит.



До
Министерство на външните работи
на Република България
Дирекция "Външноикономически отношения"
София

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISME NT NO.	BID BOND
1310/2015	PIPE & FITTING	31 ITEMS	ONCE	7000 \$

- 1-The Requisition to be sold in (250,000) Iraqi dinars; Un returnable.
- 2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .
- 3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.
- 4-Offers (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). The requisition number, the description and the closing date should be fixed on both envelopes. The validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.
- 5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The Attachments and Documents.
- 7-All Documents (Profile) and similar contracts achieved, Issued by Governmental Contracts should be submitted before purchasing the Req. - for the current year or enclosed within the technical offer.
- 8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM :{ KURDISTAN INTERNATIONAL BANK , NORTH BANK , ARPIL INTERNATIONAL BANK, GIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , UNION BANK OF IRAQ , AL MANSOUR BANK FOR INVESTMENT , NATIONAL ISLAMIC BANK , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFOR), BANK OF BAGHDAD , GULF COMMERCIAL BANK , SUMER FOR COMMERCIAL , CREDIT BANK IRAQI , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT ; INTERNATIONAL DEVELOPMENT FOR INVESTMENT & FINANCE , NATIONAL BANK OF IRAQ , IRAQI ISLAMIC COOPERATIONAL BANK FOR INVESTMENT , COMMERCIAL BANK , BYBLOS BANK , DIJLAH & FURAT BANK FOR DEVELOPMENT & INVESTMENT & IRAQI MIDDLE EAST INVESTMENT BANK AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK - ISLAMIC BILAD BANK, UNITED BANK FOR INVESTMENT OR BASRAH INTERNATIONAL BANK, AL- HUDA BANK ,ECONOMY BANK FOR INVESTMENT & FINANCE] ARE NOT ACCEPTABLE. THIS BID BOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS & THIS BID BOND SHOULD BE CONFISCATED IF THE COMPANIES DON'T RESPOND TO(ANSWERED FOR) THE CORRESPONDENCE DURING THE TECHNICAL & COMMERCIAL STUDY .
- 9- The Delivery period (In days) should be, exactly specified.
- 10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company the prices of all offers are calculated according to the exchange rate of the central bank of Iraq .at the date of opening the offers .for the purpose of preferability and by Iraqi dinar only , for Iraqi companies according to the exchange rate of the control bank of Iraq at the date of opening of the offers
- 11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.
- 12- An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is Informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), Is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. Otherwise, this amount will be sent to the (tax committee) and 30% for the contract contain onsite installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- A sum of (id 205,000.00), to be deducted as cost of import license.
- 16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.
- 17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 18- The Origin of the materials should be specified in the offer and fixed. And will not be changed for any reason.
- 19- Third Party Inspection Certificate should be provided from one of the following companies:
[LLOYDS REGISTER - BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]
- 20- All offers and correspondences should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. Otherwise the offer will be neglected.
- 21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREIGN AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN
- 22- In case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 23- The awarded supplier will bear the advertising fees.
- 24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. Governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).
- 25- FOR CHEMICAL (REQ) THE SAMPLE SHOULD BE SUBMITTED WITH THE TECHNICAL & COMMERCIAL OFFERS BEFORE OR (DURING)THE CLOSING OTHERWISE THE OFFERS WILL BE NEGLECTED
- 26- Closing date: 10 / 8 / 2015, till (1.00) o'clock (afternoon).

Note: you can find the conditions of submitting offers on website:
www.oil.gov.iq - www.mrc.oil.gov.iq

SAAD NOORI MOHAMMED
G. MANAGER

info@mrc.oil.gov.iq البريد الالكتروني لشركة مصافي الوسط
purchase@mrc.oil.gov.iq

IT	QTY	UNIT	VOCAB NO	DESCRIPTION
				PIPE & FITTING
				LINE PIPE , THE PIPE MANUFACTURING SEAMLESS , CARBON STEEL MATERIAL CONFORMING TO ASTM (A 106 GRB) ,HOT FINISHED FOR HIGH TEMPERATURE SERVICE , DIMENSION ACCORDING TO ANSI (B 36.10) ,BEVELED ENDS TO ANSI (B 16.25) , PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELED PROTECTOR , LENGTH (6 OR 12 MTS)
				SCH SIZE
1	7440	MTS	010229/605.0	80 1"
				PIPE SEAMLESS CARBON STEEL FOR LOW TEMPERATURE SERVICE CONFORMING TO ASTM (A333 GR3), DIMENSION ACCORDING TO ANSI (B 36.10) , BEVELED ENDS TO ANSI (B 16.25) PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELED ENDS PROTECTOR , LENGTH (6 OR 12M).
				SCH SIZE
2	600	M	010232/512.0	40 4"
3	570	M	/601.0	80 1/4 "
				PIPE, SEAMLESS ALLOY STEEL (1.25%CHR+1/2%MO), MATERIAL CONFORMING TO ASTM (A 335 GR P11) , DIMENSION ACCORDING TO ANSI (B 36.10) ,BUTT WELD ENDS,THE ENDS BEVELED TO ANSI (B 16.25) , INSID &OUTSID OF THE PIPE PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELED PROTECTOR , LENGTH (6 OR 12 MTS)
				SCH SIZE
4	360	M	010237/605.0	80 1"
5	360	M	610.0	80 3"
				PIPE, SEAMLESS ALLOY STEEL(5%CHR+1/2%MO), MATERIAL CONFORMING TO ASTM (A 335 GR P5) , DIMENSION ACCORDING TO ANSI (B 36.10) ,BUTT WELD ENDS,THE ENDS BEVELED TO ANSI (B 16.25) , INSID &OUTSID OF THE PIPE PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELED PROTECTOR , LENGTH (6 OR 12 MTS)
				SCH SIZE
6	360	M	010239/509.0	40 2 1/2"
				SEAMLESS - PIPE (18-8) STAINLESS STEEL COMFORMING TO ASTM (A 312) (GR OR TP 304) BUTT WELD ENDS , THE END BEVELLED TO ANSI (B 16.25) THE DIMENSION & WEIGHTS ACCORDING TO (ANSI / ASME / B 36.19 M - 1985) THE LENGTH IS (6 - OR - 12 MTS)
				SCH SIZE
7	78	MT	010405/508.0	40 2"

IT	QTY	UNIT	VOCAB NO	DESCRIPTION	
				SEAMLESS - PIPE STAINLESS STEEL CONFORMING TO ASTM (A 312) (GR OR TP 316) BUTT WELD ENDS , THE ENDS BEVELED TO ANSI (B16.25) THE DIMENSION & WEIGHTS ACCORDING TO (ANSI / ASME / B 36.19 M - 1985) THE LENGTH IS (6 - OR - 12 MTS)	
				SCH	SIZE
8	30	MT	010409/512.0	40	4"
				SEAMLESS - PIPE STAINLESS STEEL CONFORMING TO ASTM (A 312) (GR OR TP 321) BUTT WELD ENDS , THE END BEVELED TO ANSI (B 16.25) THE DIMENSION & WEIGHTS ACCORDING TO (ANSI / ASME / B 36.19M - 1985) THE LENGTH IS (6 - OR - 12 MTS)	
				SCH	SIZE
9	48	M	010410/504.0	40	3/4"
10	42	M	508.0	40	2"
				LINE PIPE LOW CARBON STEEL , BUTT WELD ENDS , THE MATERIAL CONFORMING TO THE ASTM (A 672 GR B 60 CLASS 32) & THE PIPE MANUFACTURING WELDED (E. F. W) (ELECTRIC - FUSION - WELDING) WITH (FULLX -RAY & HEAT TREATMENT ALONG THE JIONT OF WELD) THE ENDS IS BEVELLD TO THE ANSI (B 16.25) & DIMENSION ACCORDING TO ANSI (B 36.10) , PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELED ENDS PRTOECTOR , LENGH (6 OR 12 MTS)	
				NB	THK
11	36	MTS	010226/741.0	60"	1/2"
12	36	MTS	738.0	54"	1/2"
				LINE PIPE , THE PIPE MANUFACTURING SEAMLESS , CARBON STEEL MATERIAL CONFORMING TO ASTM (A 106 GRB) ,HOT FINISHED FOR HIGH TEMPERATURE SERVICE , DIMENSION ACCORDING TO ANSI (B 36.10) ,BEVELED ENDS TO ANSI (B 16.25) , PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELEND PROTECTOR , LENGTH (6 OR 12 MTS)	
				SCH	SIZE
13	150	MT	010229/007.0	160	1.1/2"
				LINE PIPE , THE PIPE MANUFACTURING SEAMLESS , CARBON STEEL MATERIAL CONFORMING TO ASTM (A 106 GRB) ,HOT FINISHED FOR HIGH TEMPERATURE SERVICE , DIMENSION ACCORDING TO ANSI (B 36.10) ,BEVELED ENDS TO ANSI (B 16.25) , PROTECTED AGAINST RUST , BLACK INSIDE & OILED OUTSIDE , WITH TWO BEVELEND PROTECTOR , LENGTH (6 OR 12 MTS)	
				SCH	NB
14	1266	MTS	010229/319.0	30	16"

IT	QTY	UNIT	VOCAB NO	DESCRIPTION
				PIPE FITTING
				COUPLING SOCKET WELD RATING 3000 LBS FORGED CARBON STEEL ACCORDING TO ASTM A-105 .GR M
15	150	NOS	221024/108.2	1.½"
16	200	NOS	/109.2	2"
				TEE EQUAL 3000 LBS FORGED STEEL CONFORMING TO ASTM A 105 SOCKET WELD
17	95	NOS	221027/049.2	2"
				UNION CARBON STEEL SOCKET WELD MATERIAL CONFORMS TO ASTM A.105 RATING 3000 #
18	42	NOS	221028/048.2	1.½"
19	36	NOS	/049.2	2"
				REDUCER ECCENTRIC , SEAMLESS ALLOY STEEL BUTT WELDING END SCH 80 MATERIAL 1.¼% CR + ½% MO CONFORMING TO ASTM.A-234GR WP 11 NEEDED FOR F-301
20	10	NOS	222413/547.2	SIZE 6"X5"
				ELBOW 90° SHORT RADUIS SEAMLESS ALLOY STEEL BUTT WELDING ENDS SCH-80 MATERIAL (5% CR + ½ % MO) CONFORMING TO ASTM A 234 GR WP 5 NEEDED FOR F- 201 & 301
21	4	NOS	222706/655.2	6" N.B
				RETURN BEND 180 ° SHORT RADUIS, SCH-80 SEAMLESS BUTT-WELDING MATERIAL STAINLESS STEEL CONFORMING. TO ASTM A- 403 GR WP 304 NEEDED FOR F 302
22	6	NOS	222909/651.2	3" N.B 88.9MM O.D
				CARBON STEEL FLANGES ORIFICE RATING # 300 LBS (R.F) (SLIP - ON) FORGED STEEL TO ASTM (A 105) FLANGE ENDS TO ANSI (B 16.5)
23	10	NOS	224210/173.2	4"
24	12	NOS	/175.2	6"
25	12	NOS	/176.2	8"
				CARBON STEEL FLANGE (W.N) ORIFICE RATING # 300LBS (R.F) , FORGED STEEL TO ASTM (A 105) FLANGED ENDS TO ANSI (B 16.5) SCH 40
26	6	NOS	224210/211.2	3"
27	6	PAIR	/213.2	4"
28	6	PAIR	/215.2	6"
				CARBON STEEL FLANGE (W.N) (R. F) (SCH 80) ORIFICE , RATING # 300 LBS TO ASTM (A 105) FLANGD ENDS TO ANSI (B16.5)
29	6	NOS	224210/248.2	1.½"
30	6	PAIR	/249.2	2"
				FLANGES R.F WELDING NECK (W.N) RATING 150 LBS. MATERIAL ALLOY STEEL 5% CR.+ ½% MO CONFORMING TO ASTM A 182 GRADE F5 & ANSI (B16.5) SCH 40
31	2	NOS	224705/215.2	6"

ALL ORIGINS ACCEPTED EXCEPT CHINESE

- 1- CERTIFICATE OF ORIGIN**
- 2- MILL CERTIFICATE**
- 3- DIMENSIONS CHECK**
- 4- THIRD PARTY INSPECTION**

- LLOYEDS REGISTER**
- 2- BUREAU VERITAS**
- 3-TUV RHENLAND**
- 4-INTERTEK GLOBAL**
- 5-DNV**

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISEMENT NO.	BID BOND
1290/2015	SUPPLEMENTARY / TRANSMITTER	11 ITEMS	ONCE	6000 \$

- 1-The Requisition to be sold in (250, 000) Iraqi dinars; Un returnable.
 - 2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .
 - 3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.
 - 4-Offers (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). The requisition number, the description and the closing date should be fixed on both envelopes. The validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.
 - 5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days.
 - 6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The Attachments and Documents.
 - 7-All Documents (Profile) and similar contracts achieved, issued by Governmental Contracts should be submitted before purchasing the Req. - for the current year or enclosed within the technical offer.
 - 8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM : KURDISTAN INTERNATIONAL BANK , NORTH BANK , ARPIL INTERNATIONAL BANK, GIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , UNION BANK OF IRAQ , AL MANSOUR BANK FOR INVESTMENT , NATIONAL ISLAMIC BANK , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFORE), BANK OF BAGHDAD , GULF COMMERCIAL BANK , SUMER FOR COMMERCIAL , CREDIT BANK IRAQI , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT , INTERNATIONAL DEVELOPMENT FOR INVESTMENT & FINANCE , NATIONAL BANK OF IRAQ , IRAQI ISLAMIC COOPERATIONAL BANK FOR INVESTMENT , COMMERCIAL BANK , BYBLOS BANK , DIJLAH & FURAT BANK FOR DEVELOPMENT & INVESTMENT & IRAQI MIDDLE EAST INVESTMENT BANK AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK - ISLAMIC BILAD BANK, UNITED BANK FOR INVESTMENT OR BASRAH INTERNATIONAL BANK, AL- HUDA BANK ,ECONOMY BANK FOR INVESTMENT & FINANCE] ARE NOT ACCEPTABLE. THIS BID BOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS & THIS BID BOND SHOULD BE CONFISCATED IF THE COMPANIES DON'T RESPOND TO(ANSWERED FOR) THE CORRESPONDENCE DURING THE TECHNICAL & COMMERCIAL STUDY .
 - 9- The Delivery period (In days) should be, exactly specified.
 - 10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company the prices of all offers are calculated according to the exchange rate of the central bank of Iraq .at the date of opening the offers .for the purpose of preferability and by Iraqi dinar only , for Iraqi companies according to the exchange rate of the control bank of Iraq at the date of opening of the offers
 - 11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.
 - 12- An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
 - 13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. Otherwise, this amount will be sent to the (tax committee) and 30% for the contract contain inside installation and operation.
 - 14- (0.002) off the total value of the contract to be deducted as stamp charges.
 - 15- A sum of (id 205,000.00), to be deducted as cost of import license.
 - 16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.
 - 17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
 - 18- The Origin of the materials should be specified in the offer and fixed. And will not be changed for any reason.
 - 19- Third Party Inspection Certificate should be provided from one of the following companies:
[LLOYDS REGISTER - BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]
 - 20- All offers and correspondences should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. Otherwise the offer will be neglected.
 - 21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREING AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN
 - 22- In case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
 - 23- The awarded supplier will bear the advertising fees.
 - 24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. Governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).
 - 25- FOR CHEMICAL (REQ) THE SAMPLE SHOULD BE SUBMITTED WITH THE TECHNICAL & COMMERCIAL OFFERS BEFORE OR (DURING)THE CLOSING OTHERWISE THE OFFERS WILL BE NEGLECTED
 - 26- Closing date: 10 / 8 / 2015, till (1.00) o'clock (afternoon).
- Note: you can find the conditions of submitting offers on website:
www.oil.gov.iq - www.mrc.oil.gov.iq

البريد الالكتروني لشركة مصافي الوسط
info@mrc.oil.gov.iq
purchase@mrc.oil.gov.iq

السيدة عمار
SAAD NOORI MOHAMMED
G. MANAGER

REQ.NO: 1290/2015

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
				SUPPLEMENTARY
				EMERSON TYPE: TRANSMITTER ATMOSPHERIC DIST. UNIT (70000 BBL/D)
1.	16	NOS	378601/540.3	EMERSON RTD TRANSMIT. 4-20mA MODEL: 248RANAQ4 RANGE: -200 / 850 Deg. C ORDER NO.: 248R SUPPLY: 12-42VDC Manufacture : emerson
2.	4	NOS	541.3	MICRO MOTION CORIOLIS FLOW TRANSMITTER MODEL: 1700 PART No. : 1700 R11AEFEZZZ Manufacture : emerson
3.	2	NOS	542.3	R100S/ R-SERIES SENSOR; 25mm; 316L SS, FOR MICROMOTION FLOW METER PART No. : R100S129NVEZEZZZZ Manufacture : emerson
4.	2	NOS	543.3	R200S/ R-SERIES SENSOR; 50mm; 316L SS, FOR MICROMOTION FLOW METER PART No. : R200S419NVEZEZZZZ Manufacture : emerson
				TYPE : POSITIONER
5.	20	NOS	560.3	REGULATOR TYPE 67CFR WITH O-RINGS FOR DVC 6000 SERIES POSITIONER Type: 67CFR-601 Manufacturer : emerson
6.	20	NOS	561.3	TRAVEL SENSOR FOR DVC 6000 SERIES POSITIONER P/N : GE 31447X012. Manufacturer : emerson
7.	20	NOS	562.3	PRINTED WIRING BOARD ASSEMBLY FOR DVC 6000 SERIES POSITIONER Manufacturer : emerson.

IT.	QTY	UNIT	VOCAB NO.	DESCRIPTION
8.	20	NOS	563.3	I/P CONVERTER FOR DVC 6000 SERIES POSITIONER P/N : 38B6041X152 Manufacturer : emerson
9.	20	NOS	564.3	PNEUMATIC RELAY FOR DVC 6000 SERIES POSITIONER P/N : 38B5786X132 Manufacturer : emerson
10.	5	NOS	566.3	POSITIONER MODEL DVC 6030 COMPLETE WITHOUT REGULATOR Manufacturer : emerson
				TYPE: RADAR LEVEL TRANSMITTER
11.	2	NOS	580.3	Type :Radar Level Transmitter Model: 5402 High Frequency 24GHz Flange Size DN/PN: DN2" / ANSI B16.5, 150#, RF Flange Material: 316L SST Probe Material: Antenna material 316L SST Antenna Extension: Cone antenna 2" size Gasket Material: PTFE with Viton O-rings Power Supply: 2wire 24VDC / 50Mw Cable Entry: M20x1.5 Output Signal: 4-20mA, HART Instrument Range: (0-5)m Local Indicator: Yes Integral Digital Display Enclosure acc. IEC 529: IP66 Ex. Classification: EEx iad IIC T4 ORDER NO.:- 5402AH2E12SPVAAMIC1Q4 Manufacturer : emerson

ORIGIN: EUROPE UNION – JAPAN – USA.

Certificate of origin

Third party inspection certificate

1. Lloyd s Register
2. Bureau Veritas
3. Intertek Global
4. TUV Rhenland
5. DNV

ADVERTISEMENT
MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELLOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISME NT NO.	BID BOND
1319/2015	TUBE & TUBE BUNDLE	8 ITEMS	ONCE	6000 \$

- 1-The Requisition to be sold in (250, 000) Iraqi dinars; Un returnable.
- 2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .
- 3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.
- 4-Offeres (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). The requisition number, the description and the closing date should be fixed on both envelopes. The validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.
- 5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The Attachments and Documents.
- 7-All Documents (Profile) and similar contracts achieved, issued by Governmental Contracts should be submitted before purchasing the Req. - for the current year or enclosed within the technical offer.
- 8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM :(KURDISTAN INTERNATIONAL BANK , NORTH BANK , ARPIL INTERNATIONAL BANK, GIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , UNION BANK OF IRAQ , AL MANSOUR BANK FOR INVESTMENT , NATIONAL ISLAMIC BANK , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFOR), BANK OF BAGHDAD , GULF COMMERCIAL BANK , SUMER FOR COMMERCIAL , CREDIT BANK IRAQI , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT , INTERNATIONAL DEVELOPMENT FOR INVESTMENT &FINANCE , NATIONAL BANK OF IRAQ , IRAQI ISLAMIC COOPERATIONAL BANK FOR INVESTMENT , COMMERCIAL BANK , BYBLOS BANK , DIJLAH & FURAT BANK FOR DEVELOPMENT & INVESTMENT & IRAQI MIDDLE EAST INVESTMENT BANK AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK - ISLAMIC BILAD BANK, UNITED BANK FOR INVESTMENT OR BASRAH INTERNATIONAL BANK, AL- HUDA BANK ,ECONOMY BANK FOR INVESTMENT & FINANCE] ARE NOT ACCEPTABLE. THIS BID BOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS &THIS BID BOND SHOULD BE CONFISCATED IF THE COMPANIES DON'T RESPOND TO(ANSWERED FOR) THE CORRESPONDENCE DURING THE TECHNICAL & COMMERCIAL STUDY .
- 9- The Delivery period (In days) should be, exactly specified.
- 10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company the prices of all offers are calculated according to the exchange rate of the central bank of Iraq .at the date of opening the offers .for the purpose of preferability and by Iraqi dinar only , for Iraqi companies according to the exchange rate of the control bank of Iraq at the date of opening of the offers
- 11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.
- 12- An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is Informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), Is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. Otherwise, this amount will be sent to the (tax committee) and 30% for the contract contain onside installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- A sum of (id 205,000.00), to be deducted as cost of import license.
- 16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.
- 17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 18- The Origin of the materials should be specified in the offer and fixed. And will not be changed for any reason.
- 19- Third Party Inspection Certificate should be provided from one of the following companies:
[LLOYDS REGISTER - BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]
- 20- All offers and correspondences should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. Otherwise the offer will be neglected.
- 21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREING AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGING
- 22- In case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 23- The awarded supplier will bear the advertising fees.
- 24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. Governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).
- 25- FOR CHEMICAL (REQ) THE SAMPLE SHOULD BE SUBMITTED WITH THE TECHNICAL & COMMERCIAL OFFERS BEFORE OR (DURING)THE CLOSING OTHERWISE THE OFFERS WILL BE NEGLECTED
- 26- Closing date: 10 / 8 / 2015, till (1.00) o'clock (afternoon).

Note: you can find the conditions of submitting offers on website:

www.oil.gov.iq - www.mrc.oil.gov.iq

SAAD NOORI MOHAMMED
G. MANAGER

info@mrc.oil.gov.iq البريد الالكتروني لشركة مصافي الوسط
purchase@mrc.oil.gov.iq

REQ.NO.:- 1319/2015

IT	QTY	UNI T	VOCAB NO.	DESCRIPTION
				TUBE & TUBE BUNDLE.
				BOILERS TUBE. BOILERS NOS 1, 2, 3, 4, 5.
1.	254	Nos	342504/512.2	2.1/2" O.D X 9 SWG minimum wall thickness X 30'-0" long cold drawn seamless steel boiler tubes in accordance with Astm A-192
				TUBE CARBON STEEL.
				Tubes for heater No . 03 – H1.S . P
2.	18	No	343504/041.3	3" O.D , 1/4" min wall thickness . 12 Ft . long , hot Rolled seamless low carbon steel tubes : conforming to ASTM specification A – 192 . Current edition For H 101
3.	14	No	343504/042.3	3" O.D . 0.167 " min wall thickness . 24 Ft .long , hot rolled semless low carbon steel tubes , conforming to ASTM specification A – 192 current edition For 03 – H 2 AND 04 – H 1
4.	60	No	043.3	3.5"O.D , 0.22 "min wall thickness , 40FT .long , hot rolled seamless low carbon steel tubes , conforming to ASTM specification A – 192 , current edition FOR H 302
5.	30	No	343504/044.3	4" O.D , 1/4" min wall Thickness , 24 Ft . long , hot rolled seamless low carbon steel tubes , conforming to ASTM specification A – 192 current edition

IT	QTY	UNI T	VOCAB NO.	DESCRIPTION
				FURNACE TUBES.
6.	20	Nos	343514/141.2	Bare tube 88.9 mm O.D (3.5 ") X (5.48) MM Min wall thickness X 7080 mm long alloy steel tube conforming to ASTM - A - 213 T 9 Needed for - O 1 H 1
				FOR H 101
7.	30	Nos	343514/181.2	3" O . D , 1/4" min wall Thickness , 24 ft long , Seamless alloy steel tube Conforming to ASTM A 213 - T 9 . current edition
				For H 101 and F 201
8.	50	Nos	343514/182.2	4" O . D . , 1/4" min wall thickness , 16 Ft long Seamless hot rolled alloy steel Tubes conforming To ASTM Specifitcation A.213 - T 9 current edition

General Conditions:-

1- Tube ends should be prepared for rolling.

2- All mill test, dimension check and chemical composition report documents should be approved by the independent authorized third party inspection company (TUV, Bureau verities, Lloyd's Register, Intertek Global, and DNV).

3- Third party inspection certificate should be submitted which endorsed that all delivered material passed the required tests successfully and comply with the specifications of the tender document.

4- Type of inspection document according to EN-10204.3.2

5- Origin certifications should be submitted which were stamped by Iraqi embassy in the origin country.

6- The delivered material without inspection authorities' issues, relevant reports, mill and origin certification will be unacceptable.

7- Each item should be backed in wooden boxes separately with weather proof lining durable & suitable for overseas shipment and handling.

8- Chinese origin is unacceptable.

9 All requirements of the current edition of specification ASTM A-450 should be applied.

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISMENT NO.	BID BOND
3510/2015	LAB EQUIPMENT	2 ITEMS	TWICE	3000 \$

- 1-The Requisition to be sold in (250, 000) Iraqi dinars; Un returnable.
- 2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .
- 3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be in us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.
- 4-Offers (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). The requisition number, the description and the closing date should be fixed on both envelopes. The validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.
- 5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days.
- 6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The Attachments and Documents.
- 7-All Documents (Profile) and similar contracts achieved, issued by Governmental Contracts should be submitted before purchasing the Req. - for the current year or enclosed within the technical offer.
- 8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM : (KURDISTAN INTERNATIONAL BANK , NORTH BANK , ARPIL INTERNATIONAL BANK, GIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , UNION BANK OF IRAQ , AL MANSOUR BANK FOR INVESTMENT , NATIONAL ISLAMIC BANK , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFOR), BANK OF BAGHDAD , GULF COMMERCIAL BANK , SUMER FOR COMMERCIAL , CREDIT BANK IRAQI , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT , INTERNATIONAL DEVELOPMENT FOR INVESTMENT & FINANCE , NATIONAL BANK OF IRAQ , IRAQI ISLAMIC COOPERATIONAL BANK FOR INVESTMENT , COMMERCIAL BANK , BYBLOS BANK , DIJLAH & FURAT BANK FOR DEVELOPMENT & INVESTMENT & IRAQI MIDDLE EAST INVESTMENT BANK AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK - ISLAMIC BILAD BANK, UNITED BANK FOR INVESTMENT OR BASRAH INTERNATIONAL BANK, AL- HUDA BANK ,ECONOMY BANK FOR INVESTMENT & FINANCE] ARE NOT ACCEPTABLE. THIS BID BOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS & THIS BID BOND SHOULD BE CONFISCATED IF THE COMPANIES DON'T RESPOND TO(ANSWERED FOR) THE CORRESPONDENCE DURING THE TECHNICAL & COMMERCIAL STUDY .
- 9- The Delivery period (In days) should be, exactly specified.
- 10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon later and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company the prices of all offers are calculated according to the exchange rate of the central bank of Iraq .at the date of opening the offers .for the purpose of preferability and by Iraqi dinar only , for Iraqi companies according to the exchange rate of the control bank of Iraq at the date of opening of the offers
- 11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.
- 12- An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.
- 13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. Otherwise, this amount will be sent to the (tax committee) and 30% for the contract contain inside installation and operation.
- 14- (0.002) off the total value of the contract to be deducted as stamp charges.
- 15- A sum of (id 205,000.00), to be deducted as cost of import license.
- 16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.
- 17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.
- 18- The Origin of the materials should be specified in the offer and fixed. And will not be changed for any reason.
- 19- Third Party Inspection Certificate should be provided from one of the following companies:
[LLOYDS REGISTER - BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]
- 20- All offers and correspondences should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. Otherwise the offer will be neglected.
- 21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREING AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN
- 22- In case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.
- 23- The awarded supplier will bear the advertising fees.
- 24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. Governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).
- 25- FOR CHEMICAL (REQ) THE SAMPLE SHOULD BE SUBMITTED WITH THE TECHNICAL & COMMERCIAL OFFERS BEFORE OR (DURING)THE CLOSING OTHERWISE THE OFFERS WILL BE NEGLECTED
- 26- Closing date: 10 / 8 / 2015, till (1.00) o'clock (afternoon).

Note: you can find the conditions of submitting offers on website:

www.oil.gov.iq - www.mrc.oil.gov.iq

SAAD NOORI MOHAMMED
G. MANAGER

info@mrc.oil.gov.iq البريد الالكتروني لشركة مصافي الوسط
purchase@mrc.oil.gov.iq

Item	Description	Qty
1	<p>Up to date potentiometric Titrator for determine Bromine number and Bromine Index of Hydrocarbons (Complete and ready for operation)</p> <p><u>Specification</u></p> <p>1- Up to date potentiometric Titrator for determine Bromine number according To UOP -304 .</p> <p>2- Recording, ± 2000-mV range, 1-mV resolution, capable of following a maximum allowable drift throughout a titration and/or reducing the titration rate to a minimum in the vicinity of the equivalence point, with dispenser having a volume readout of 0.001-99.999 mL with a 0.01% resolution, a 10- and a 20- or 25-mL burette.</p> <p>3- USB stick contains method UOP -304 parameter conditions - use to export method to titrator .</p> <p>4-Reveal text error and diagnostic message.</p> <p>5-Keypad: Alphanumeric Keypad with dedicated junction keys.</p> <p>6-Electricity: 220 V/ 50-60 Hz.</p> <p><u>General requirements;</u></p> <p>Offer should submit:</p> <p>1- All materials, chemicals and accessories needed for operation of apparatus According UOP -304 for period of (3) Years .Number of yearly about 1000 tests.</p> <p>2-A calibration materials cover the range of UOP -304 , for period (2) years ,Number of yearly about 1000 tests.</p> <p>3- A list of spare parts , glassware and electronics needed with its part number for operation and maintenance of apparatus for a period of (3) years,</p> <p>4-A Copy of maintenance and service manual book In English Including electronic maintenance sheets and electronic calibration, adjustment methods.</p> <p>5- A suitable connection with PC, printer and network.</p> <p>6- An apparatus calibration certificate.</p> <p>7- The guarantee of the apparatus for one year operation.</p>	1

Item	Description	Qty
2	<p>Up to date Dissolved Oxygen analyzer for estimating the dissolved oxygen in liquid hydrocarbons by electrochemical detection.</p> <p>(Complete and ready for operation).</p> <p>Specification</p> <p>1- Up to date Dissolved Oxygen analyzer with probe according To UOP-678 (the lower detection limit is 0.1 mass-ppm) 2-Reveal text error and diagnostic message. 3=Keypad: Alphanumeric Keypad with dedicated junction keys. 4-Electricity: 220 V/ 50-60 Hz.</p> <p>General requirements:</p> <p>Offer should submit:</p> <p>1- All materials, chemicals and accessories needed for operation of apparatus According UOP 678 for period of (3) Years ,Number of yearly about 1000 tests.</p> <p>2-A calibration materials cover the range of UOP-678, for period (2) years ,Number of yearly about 1000 tests.</p> <p>3- A list of spare parts , glassware and electronics needed with its part number for operation and maintenance of apparatus for a period of (3) years,</p> <p>4-A Copy of maintenance and service manual book in English Including electronic maintenance sheets and electronic calibration, adjustment methods.</p> <p>5- A suitable connection with printer .</p> <p>6- An apparatus calibration certificate.</p> <p>7- The guarantee of the apparatus for one year operation.</p>	1

Offer should:

- Contain installation, operation, Application on, Test Methods mention and training for two persons in country of origin of the apparatus for one week.
- Submit all tools needed for maintenance & calibration if present.
- Mention the country of origin of the apparatus.
- Contain the origin of the apparatus that must be USA or West Europe or Japan, South Korea, India , Canada and Australia.
- Certificate of origin
- Third party inspection certificate (Lloyd's Register, Bureau Veritas, Intertek Global, TUV Rhenland, DNV)

MINISTRY OF OIL
MIDLAND REFINERIES CO. (G.CO.)
(DAURA REFINERY)

ADVERTISEMENT

MIDLAND REFINERIES CO. ANNOUNCES FOR PURCHASING THE MATERIALS AS STATED BELOW:-

REQ.NO.	DESCRIPTION	QTY	ADVERTISME NT NO.	BID BOND
3523/2015	BARE SHAFT PUMP	1 ITEM	TWICE	4500 \$

1-The Requisition to be sold in (250,000) Iraqi dinars; Un returnable.

2-Technical and Commercial offer should be opened at The same time, The representatives of the companies can be attend to our company (MRC) at 10 O'clock morning one day after the closing day stated below in item (25) .

3-Offered prices should be (CIP) Baghdad / Daura refinery and preferred to be In us dollar. They will be final and un negotiable. (MRC) is not obliged to accept the lowest prices.

4-Offers (Technical & Commercial) to be submitted, Separately in sealed envelopes, either directly at (MRC) reception bureau or sent by(DHL). The requisition number, the description and the closing date should be fixed on both envelopes. The validity of the offer should be mentioned within the technical offer ; also on the envelope of the commercial offer. Offers sent by E- mail will be neglected.

5- The validity of the Bid Bond and the offer should be mentioned within both offers and should not be less than (120) days.

6- All pages of, Both, The Technical and Commercial offers should be numbered in sequence, Including The Attachments and Documents.

7-All Documents (Profile) and similar contracts achieved, issued by Governmental Contracts should be submitted before purchasing the Req. - for the current year or enclosed within the technical offer.

8- A BID BOND OF AMOUNT THAT STATED IN THE ADVERTISEMENT ABOVE AGAINST EACH TENDER SHOULD BE SUBMITTED WITH COMMERCIAL OFFER FROM ONE OF THE PARTICIPANT IN THE COMPANY ACCORDING TO INSTRUCTION AS (LETTER OF GUARANTEE , CERTIFIED CHEQUE OR BANK GUARANTEE) (ORIGINAL COPY), ISSUED FROM :(KURDISTAN INTERNATIONAL BANK , NORTH BANK , ARPIL INTERNATIONAL BANK, GIHAN BANK FOR ISLAMIC INVESTMENT & FINANCE , UNION BANK OF IRAQ , AL MANSOUR BANK FOR INVESTMENT , NATIONAL ISLAMIC BANK , REGION FOR BUSINESS INVESTMENT AND FINANCING (EMERALD BANK BEFOR), BANK OF BAGHDAD , GULF COMMERCIAL BANK , SUMER FOR COMMERCIAL , CREDIT BANK IRAQI , INVESTMENT BANK OF IRAQ , ASHUR INTERNATIONAL BANK FOR INVESTMENT , INTERNATIONAL DEVELOPMENT FOR INVESTMENT & FINANCE , NATIONAL BANK OF IRAQ , IRAQI ISLAMIC COOPERATIONAL BANK FOR INVESTMENT , COMMERCIAL BANK , BYBLOS BANK , DIJLAH & FURAT BANK FOR DEVELOPMENT & INVESTMENT & IRAQI MIDDLE EAST INVESTMENT BANK AND RELEASED IMMEDIATELY IN CASE THE REQUISITION IS NOT AWARDED. CHEQUES & BANK GUARANTEES ISSUED FROM [ALWARKAA BANK - ISLAMIC BILAD BANK, UNITED BANK FOR INVESTMENT OR BASRAH INTERNATIONAL BANK, AL- HUDA BANK ,ECONOMY BANK FOR INVESTMENT & FINANCE] ARE NOT ACCEPTABLE. THIS BID BOND SHOULD BE VALID FOR NOT LESS THAN (120) DAYS & THIS BID BOND SHOULD BE CONFISCATED IF THE COMPANIES DON'T RESPOND TO(ANSWERED FOR) THE CORRESPONDENCE DURING THE TECHNICAL & COMMERCIAL STUDY .

9- The Delivery period (In days) should be, exactly specified.

10-Basic Terms of payment is by Irrevocable & Unconfirmed letter of credit to be paid (100%) after the receipt of goods in Baghdad complete and as ordered. other terms of payment may be, mutually, agreed upon latter and for certain conditions, which are : a portion of the total amount to be paid, but against bank guarantee or by bank transfer if requested by any company the prices of all offers are calculated according to the exchange rate of the central bank of Iraq .at the date of opening the offers .for the purpose of preferability and by Iraqi dinar only , for Iraqi companies according to the exchange rate of the control bank of Iraq at the date of opening of the offers

11- DELAY PENALTY TO BE APPLIED WITH TOTAL AMOUNT, NOT EXCEEDING (10%) OF THE TOTAL VALUE OF THE P/O.

12- An Unconditional Performance Bond of (5%) of The Total value of The L/C to be submitted, from one of the participant in the company according to instruction before signing the contract and from one of the banks mentioned in item (8) within (15) fifteen Days from the Date, The Supplier is Informed of the award. For any delay beyond the specified period, The award will be cancelled and the supplier will be considered as a shirker. The issue of the (L /C) depends, mainly, on submitting this bond. The performance bond should be valid for two months later than the delivery period or until the guarantee period (if stated), Is over. This performance bond will be released after the receipt of goods complete and as ordered and the supplier has fulfilled all his commitments regarding the p/o. otherwise, it will be confiscated.

13- (2.7%) of the total value of the contract to be deducted as taxes for Iraqi companies. also, in case the payment is in Iraqi dinar. for non-Iraqi companies, this amount will be retained as taxes and will be released when a tax discharge issued by (the Iraqi state committee of taxes) in favor of the company is submitted within (180) days from the date of receipt of the goods complete and as ordered. Otherwise, this amount will be sent to the (tax committee) and 30% for the contract contain inside installation and operation.

14- (0.002) off the total value of the contract to be deducted as stamp charges.

15- A sum of (id 205,000.00), to be deducted as cost of import license.

16- Origin Certificate should be approved by Iraqi Embassy/Commercial attaché in the country of origin.

17- The participant has no right to omit or make any amendment, whatsoever, to any of the paragraphs of the requisition document.

18- The Origin of the materials should be specified in the offer and fixed. And will not be changed for any reason.

19- Third Party Inspection Certificate should be provided from one of the following companies:

[LLOYDS REGISTER - BUREAU VERITAS - INTERTEK GLOBAL - TUV RHEINLAND - DNV]

20- All offers and correspondences should be, Clearly, Signed by the general manager or whom is officially empowered via power of attorney. Otherwise the offer will be neglected.

21- IT IS NECESSARY TO PRESENT AUTHORIZATION LETTER FROM THE MANUFACTURER COMPANIES CERTIFIED FROM MINISTRY OF FOREING AFFAIRS OR EMBASSY OR CONSULATE OR THE COMMERCIAL ATTACHED IN COUNTRY OF ORIGIN

22- In case the supplier fails to supply all or part of the requested materials as ordered and according to the technical specification stated in the purchase order, our company has the right to deduct their cost at the highest offered price submitted by competitors in the table of price analysis for such items.

23- The awarded supplier will bear the advertising fees.

24- Iraqi laws are applied : The Tender and The Contract shall be governed and construed according to the Iraqi law. Courts shall have the exclusive jurisdiction to hear and determine all actions and proceedings arising out of the contract. Governmental debts collection law (no. : 56), for the year 1977 shall be applied on amounts owed to (MRC).

25- FOR CHEMICAL (REQ) THE SAMPLE SHOULD BE SUBMITTED WITH THE TECHNICAL & COMMERCIAL OFFERS BEFORE OR (DURING)THE CLOSING OTHERWISE THE OFFERS WILL BE NEGLECTED

26- Closing date: 10 / 8 / 2015, till (1.00) o'clock (afternoon).

Note: you can find the conditions of submitting offers on website:

www.oil.gov.iq - www.mrc.oil.gov.iq

SAAD NOORI MOHAMMED
G. MANAGER

info@mrc.oil.gov.iq البريد الالكتروني لشركة مصافي الوسط
purchase@mrc.oil.gov.iq

REQ. NO. 3523/2015

Bare shaft duplicated Nuovo Pignone pump

Serial no: 11061 , 11062

Item No: P 308 Qty: 1

Pump type : J2 X 15 THF/2

Liquid: HC Service: Stabilizer reflux

- 1- Pump shall be from Nuovo Pignone (GE oil & gas)
- 2- Pump shall be manufactured according to API 610.

Specifications:

Flow	m ³ /hr	63 Normal	73 Rated
Suction press.	Kg/cm ² G	10.9 Max.	7.57 Rated
Discharge press.	Kg/cm ² G	24.93	
Differential press.	Kg/cm ²	17.36	
Differential head	m	339	
NPSHa	m.	3.5	
Pumping temp.	°C	45	
Sp.Gr@P.T		0.513	
Vapor press.@P.T	Kg/cm ² A	8.64	
Rotation facing coupling end		ccw	

- Supplier shall submit three copies of the technical offer and one copy of commercial offer.
 - Prices shall be (CIP Baghdad-Daura Refinery Site)
- The following certificates are required:
- Certificate of origin legalized by the Iraqi embassy in the country of origin.
 - Mill certificate.
 - Third party inspection by one of the following inspectors:
 - Lloyd's Register
 - BV Bureau Veritas
 - TUV Rheinland Group
 - Intertek Global
 - DNV

Origins: USA, West Europe, India, South Korea, Canada, Australia or Japan