

Requirements: The equipment must be new, high-quality, and officially imported to Ukraine or made in Ukraine. The offer must include the costs of the product, door-to-door delivery, customs fees (if applicable), and any other associated costs. All devices must be compatible with standard Ukrainian voltage (220-230 volts), support 50Hz current frequency and have C (European) or F (Schuko) plug type. Equipment produced by Huawei, ZTE, Hikvision, Dahua, and Hytera, or their subsidiaries or affiliates, **will not be accepted.**

Delivery and Deadline

The requested items must be delivered within 45 days after the contract award. The delivery address in Ukraine. Full destination services (shipping, customs clearance, temporary warehousing, local delivery, loading/offloading at final destination) should be included to the contract price.

The total price shall include all labor, equipment, full delivery charges, materials, overhead, profit, insurance, warranty, customs clearance, and all other expenses necessary to deliver the required supplies.

Warranty

At least 12 months standard manufacturer warranty must be provided in Ukraine. An official manufacturer's service center shall be available in Ukraine and be capable of providing warranty support, maintenance, upgrade, repair, and replacement services within the next 24 hours.

Tagging

Defense Articles, 600 series assets, and items/units that cost \$2,500 or more should be tagged with barcodes and serial numbers. For items that contain multiple pieces, each piece should be tagged with a unique tag and a barcode.

CLIN 001 – Body Camera

Quantity – 508 (500 for the TCPO, 6 for the Kryvyi Rih Patrol Police Academy, and 2 for the Rivne Patrol Police Academy)

Specifications:

Sensor	STARVIS or equal
Viewing Angle	130 degree
Video Format	H.264
Audio	Built-in microphone
Recording Time	Up to 12 hours
Storage Capacity	64GB
Videos Resolution	1920x1080 60/30 fps
WDR	Yes
Password Protection	Yes
Stealth Mode	Yes, disables light indicators, buzzer and vibrator
Infrared Night Mode	Auto
Night Vision	Built-in 4 IR LEDs
Wireless Connectivity	Wi-Fi and Bluetooth
Live Streaming	Ability to live stream the footage to iOS or Android device via Wi-Fi
Wireless Support	Compatible with iOS and Android
IP rate	IP67
Battery Level	Battery indicator on camera
Working Temperature	-20 - +65 degrees Celsius
Battery	Built-in Battery
Package Contents	Body Camera, USB cable, Adapter, 360 degree rotating clip, Velcro holder
Weight	Approx. 130 grams

Warranty	1 year in Ukraine
----------	-------------------

CLIN 0002 – Vehicle Dash Camera

Quantity - 500

Specifications:

Camera Type	2-channel front and rear dash cameras
Night time mode	Yes
Connectivity	GPS, Wi-Fi
Image quality, minimum	Front: Full HD (1920 x 1080p) Rear: Full HD (1920 x 1080p)
Viewing angle, minimum	140°
F-Value, maximum	F/2.0
Frame rate (fps), minimum	60 fps
Camera swivel mechanism	Yes, front camera
Screen	Minimum 2" Full Colour LCD
G Sensor	Yes
Sound recording	On/off
Video recording format	MP4 (H.264, MP3)
Still image capture	Yes

Date and time setting	Yes
Automatically start recording	Yes
MicroSD card	Up to 256 GB MicroSDXC / microSDHC memory card class 10
MicroSD card format warning	Yes
Power supply voltage	12 V / 24 V DC
Power connection type	Hard wire power cable
Cables	Minimum 4m power cable, minimum 8m rear camera cable
Operating temperature	-20°C to +60°C
Mounting method	Front: Vacuum cup Rear: 3M glue tape
Graphic user interface (GUI) languages	Ukrainian and/or Russian required
Package should include, minimum	Front camera / rear camera / mounting bracket / hard wire power cable / rear camera connection cable / microSD card / quick start guide / warranty document

CLIN 0003 – Secure Digital Memory Card

Quantity - 500

Specifications:

Category	Secure Digital (SD) Memory Card
Memory Capacity	128GB
Class	C10, UHS-I U3
Reading Speed	170MB/s
Writing Speed	70 MB/s
Warranty	Standard manufacturer or seller warranty

CLIN 0004 – High power search long-distance outdoor rechargeable flashlight

Quantity: 500

Specifications:

Light Color	White
Emitter	High-efficiency LED emitter
Light distance range	Up to 390 meters
Output	Approx. 450 lumens
Minimum battery run time	24 Hours
Water/Shock proof	IP31
Dimensions	Approx. 200x100x150 mm
Weight	Approx. 400 gram
Batteries	Lithium-ion battery or equal

Body	ABS or similar material
Package	Device, battery pack, charger, user manual, warranty documents

CLIN 0005 – Tactical LED Flashlight

Quantity: 500

Specifications:

Light Color	White
Emitter	High-efficiency LED emitter
Maximum Output	2000 lumens
Lighting Distance	200-500 m
Runtime	7 hours
Dimensions	Approx. 160x40x35 mm
Weight w/Batteries	Approx. 200 grams
Batteries	Built-in rechargeable or replaceable batteries
Body	Aluminum alloy or equal
Protection Class	No less than IP55
Modes	Low, Mid, High, Strobe, SOS
Package	Device, battery pack (charging cable if rechargeable batteries)

CLIN 0006 – Portable Power Bank

Quantity: 500

Specifications:

Type	Portable Power Bank
Capacity	30,000 mAh
Output power	Up to 20 Watt
Connectivity	2x USB 1/2, 1x USB Type-C, 1x Micro USB
Fast Charging	Yes
Simultaneous Charging	Up to 3 devices
Charging Indication	LED indicator with the charge level
Weight	Approx. 700 gram
Dimensions (WxDxH)	Approx. 150x70x40 mm

CLIN 0007 – UPS

Quantity - 100

Specifications:

Maximum Configurable Power	600 Watts / 1.0 kVa
Output Frequency	50/60 Hz
Topology	Line interactive
Waveform Type	Stepped approximation to a sine wave
Transfer Time	6 ms typical : 10 ms maximum
Input Frequency	50/60 Hz +/- 5 Hz Auto-sensing

Minimum Input Voltage for Main Operations	150V
Output Voltage	220V +-10%
Number of Power Cords	1
Battery Type	Built-in battery
Typical Recharge Time	8 hours
Expected Battery Life	3-5 years
Control Panel	LED status display with on line : on battery
Audible Alarm	Alarm when on battery : distinctive low battery alarm : overload continuous tone alarm
Dimensions (Height x Width x Depth)	Approx. 93 x 160 x 305 mm
Weight	Approx. 5.7 kg
Operating Temperature	0 – 40° C
Operating Humidity	0 – 90%
Protection Class	IP20
Certification	CE

CLIN 0008 – Portable Metal Detector

Quantity - 200

Specifications:

Type	Handheld metal detector
Indication	Visual and sound/visual and vibration
Power Supply	Replaceable or rechargeable batteries
Dimensions	Approx. 70x25x350 mm
Acoustic power of installed alarm	75 dB
Weight	Approx. 200 gram

Runtime from Battery	Up to 40 hours
----------------------	----------------

CLIN 0009 – Cell Network Extender (Repeater)

Quantity - 400

Specifications:

Type	Cell network extender
Connectivity standards	GSM, LTE
Frequency range	900 MHz, 1800 MHz
Supported cell network providers	Kyivstar, Vodafone Ukraine, Lifecell, Trimob
Extender power	65 +- 2 db
Output Power	17 dbm
Status display	LED display with input signal indicator
Package	Extender (repeater), vehicle power supply, indoor antenna, outdoor antenna

OPTIONAL QUANTITY

After evaluation and assessment of operational benefits and performance of delivered equipment additional renewal option year may be exercised. Delivery addresses and distribution plan for the option year is not known at this time.